


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2013  
 © COPYRIGHT 1997 TE Connectivity AMP España S.L.U ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
1K	2	L	ECR-13-001943	21FEB2013	LD JS


FINISHED CABLE DATA

CONDUCTORS	WIRE AWG	26 AWG Stranded
	OVERALL DIAMETER NOM.	0.48mm (7x0.16mm)
	MATERIAL	COPPER
	PLATING	BARE
	ELONGATION	15% PER EN 50288-1
INSULATION	MATERIAL	POLYETHYLENE
	OVERALL DIAMETER	1,00
DRAIN WIRE	Ø RANGE	-
	MATERIAL	-
	PLATING	-
	ELONGATION	-
BINDER	POLYESTER TAPE	-
INDIVIDUAL PAIR SCREEN	MATERIAL	PLASTIC LAMINATED ALUMINUM FOIL
OVERALL SHIELD	FOIL MATERIAL	-
	BRAID MATERIAL	COPPER BRAID
OVERALL SHIELD	PLATING	TINNED
	COVERAGE	40-45% APPROX.
	ELONGATION	15% PER EN 50288-1
JACKET	MATERIAL	LSZH
	OVERALL DIAMETER (D)	5,9
PULLING FORCE	MAX.	-

1. REFER TO PRODUCT SPEC 108-93018 FOR ADDITIONAL REQUIREMENTS.
2. BASENR SPECIFIC PRINT LEGEND INFO:  
CAT7 S/FTP STRANDED PR04 AWG26 LSZH
3. CABLE COLORED TYPES UPON REQUEST.



WHITE	1000	REEL	219106-1
COLOUR	LENGTH (METRES)	PACKAGE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	21FEB2013	 TE Connectivity NAME CABLE, CAT7, S/FTP, PIMF600, STRANDED, PR04, AWG26, LSZH	RESTRICTED TO
DIMENSIONS: mm		CHK	21FEB2013		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	21FEB2013		
0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		PRODUCT SPEC	-		
MATERIAL	-	FINISH	-	APPLICATION SPEC	-
-		WEIGHT	-	SIZE	A3
-		CUSTOMER DRAWING		CAGE CODE	-
-		SCALE		DRAWING NO	©-219106
-		SHEET		1	OF
-		REV		L	